

190.34 - Fecal Occult Blood Test

Description

The Fecal Occult Blood Test (FOBT) detects the presence of trace amounts of blood in stool. The procedure is performed by testing one or several small samples of one, two or three different stool specimens.

This test may be performed with or without evidence of iron deficiency anemia, which may be related to gastrointestinal blood loss. The range of causes for blood loss include inflammatory causes, including acid-peptic disease, non-steroidal anti-inflammatory drug use, hiatal hernia, Crohn's disease, ulcerative colitis, gastroenteritis, and colon ulcers. It is also seen with infectious causes, including hookworm, strongyloides, ascariasis, tuberculosis, and enteroamebiasis. Vascular causes include angiodysplasia, hemangiomas, varices, blue rubber bleb nevus syndrome, and watermelon stomach. Tumors and neoplastic causes include lymphoma, leiomyosarcoma, lipomas, adenocarcinoma and primary and secondary metastases to the GI tract. Drugs such as nonsteroidal anti-inflammatory drugs also cause bleeding. There are extra gastrointestinal causes such as hemoptysis, epistaxis, and oropharyngeal bleeding. Artfactual causes include hematuria, and menstrual bleeding. In addition, there may be other causes such as coagulopathies, gastrostomy tubes or other appliances, factitial causes, and long distance running.

Three basic types of fecal hemoglobin assays exist, each directed at a different component of the hemoglobin molecule.

1. Immunoassays recognize antigenic sites on the globin portion and are least affected by diet or proximal gut bleeding, but the antigen may be destroyed by fecal flora.
2. The heme-porphyrin assay measures heme-derived porphyrin and is least influenced by enterocolic metabolism or fecal storage. This assay does not discriminate dietary from endogenous heme. The capacity to detect proximal gut bleeding reduces its specificity for colorectal cancer screening but makes it more useful for evaluating overall GI bleeding in case finding for iron deficiency anemia.
3. The guaiac-based test is the most widely used. It requires the peroxidase activity of an intact heme moiety to be reactive. Positivity rates fall with storage. Fecal hydration such as adding a drop of water increases the test reactivity but also increases false positivity.

Of these three tests, the guaiac-based test is the most sensitive for detecting lower bowel bleeding. Because of this sensitivity, it is advisable, when it is used for screening, to defer the guaiac-based test if other studies of the colon are performed prior to the test. Similarly, this test's sensitivity may result in a false positive if the patient has recently ingested meat. Both of these cautions are appropriate when the test is used for screening, but when appropriate indications are present, the test should be done despite its limitations.



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

HCPCS Codes (Iphanumeric, CPT® AMA)

| Code | Description |
|-------|---|
| 82272 | Blood, occult, by peroxidase activity (e.g., guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening |

ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of
Downloads: Lab Code List, at
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code | Description |
|--------|--|
| A02.0 | Salmonella enteritis |
| A02.1 | Salmonella sepsis |
| A03.0 | Shigellosis due to Shigella dysenteriae |
| A03.1 | Shigellosis due to Shigella flexneri |
| A03.2 | Shigellosis due to Shigella boydii |
| A03.3 | Shigellosis due to Shigella sonnei |
| A03.8 | Other shigellosis |
| A03.9 | Shigellosis, unspecified |
| A04.5 | Campylobacter enteritis |
| A04.6 | Enteritis due to Yersinia enterocolitica |
| A04.71 | Enterocolitis due to Clostridium difficile, recurrent |
| A04.72 | Enterocolitis due to Clostridium difficile, not specified as recurrent |
| A04.8 | Other specified bacterial intestinal infections |
| A05.0 | Foodborne staphylococcal intoxication |
| A05.1 | Botulism food poisoning |
| A05.2 | Foodborne Clostridium perfringens [Clostridium welchii] intoxication |
| A05.3 | Foodborne Vibrio parahaemolyticus intoxication |
| A05.4 | Foodborne Bacillus cereus intoxication |
| A05.5 | Foodborne Vibrio vulnificus intoxication |
| A05.8 | Other specified bacterial foodborne intoxications |
| A05.9 | Bacterial foodborne intoxication, unspecified |
| A06.0 | Acute amebic dysentery |
| A06.1 | Chronic intestinal amebiasis |
| A06.2 | Amebic nondysenteric colitis |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| A06.3 | Ameboma of intestine |
| A06.4 | amebic liver abscess |
| A06.5 | Amebic lung abscess |
| A06.6 | Amebic brain abscess |
| A06.7 | Cutaneous amebiasis |
| A06.81 | Amebic cystitis |
| A06.82 | Other amebic genitourinary infections |
| A06.89 | Other amebic infections |
| A06.9 | Amebiasis, unspecified |
| A07.0 | Balantidiasis |
| A07 | Giardiasis [lambliasis] |
| A07.2 | Cryptosporidiosis |
| A07.3 | Isosporiasis |
| A07. | Cyclosporiasis |
| A07.8 | Other specified protozoal intestinal diseases |
| A07.9 | Protozoal intestinal disease, unspecified |
| A09 | Infectious gastroenteritis and colitis, unspecified |
| A18.31 | Tuberculous peritonitis |
| A18.32 | Tuberculous enteritis |
| A18.39 | Retroperitoneal tuberculosis |
| A18.8 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A52.74 | Syphilis of liver and other viscera |
| A54.00 | Gonococcal infection of lower genitourinary tract, unspecified |
| A54.02 | Gonococcal vulvovaginitis, unspecified |
| A54.09 | Other gonococcal infection of lower genitourinary tract |
| A54.1 | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess |
| A54.6 | Gonococcal infection of anus and rectum |
| A54.83 | Gonococcal heart infection |
| B25.2 | Cytomegaloviral pancreatitis |
| B68.0 | Taenia solium taeniasis |
| B68.1 | Taenia saginata taeniasis |
| B68.9 | Taeniasis, unspecified |
| B69.0 | Cysticercosis of central nervous system |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| B69.1 | Cysticercosis of eye |
| B69.81 | Myositis in cysticercosis |
| B69.89 | Cysticercosis of other sites |
| B69.9 | Cysticercosis, unspecified |
| B70.0 | Diphyllobothriasis |
| B70.1 | Sparganosis |
| B71.0 | Hymenolepiasis |
| B71.1 | Dipylidiasis |
| B71. | Other specified cestode infections |
| B71.9 | Cestode infection, unspecified |
| B75 | Trichinellosis |
| B77. | scariasis with intestinal complications |
| B77.81 | Ascariasis pneumonia |
| B77.89 | Ascariasis with other complications |
| B77.9 | Ascariasis, unspecified |
| B78.0 | Intestinal strongyloidiasis |
| B78.7 | Disseminated strongyloidiasis |
| B78.9 | Strongyloidiasis, unspecified |
| B79 | Trichuriasis |
| B80 | Enterobiasis |
| B81.0 | Anisakiasis |
| B81.1 | Intestinal capillariasis |
| B81.2 | Trichostrongyliasis |
| B81. | Intestinal angiostrongyliasis |
| B81.4 | Mixed intestinal helminthiases |
| B81.8 | Other specified intestinal helminthiases |
| B82.0 | Intestinal helminthiasis, unspecified |
| B92 | Sequelae of leprosy |
| B94.2 | Sequelae of viral hepatitis |
| B94.8 | Sequelae of other specified infectious and parasitic diseases |
| B94.9 | Sequelae of unspecified infectious and parasitic disease |
| C15.3 | Malignant neoplasm of upper third of esophagus |
| C15.4 | Malignant neoplasm of middle third of esophagus |
| C15. | Malignant neoplasm of lower third of esophagus |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| C15.8 | Malignant neoplasm of overlapping sites of esophagus |
| C15.9 | Malignant neoplasm of esophagus, unspecified |
| C16.0 | Malignant neoplasm of cardia |
| C16.1 | Malignant neoplasm of fundus of stomach |
| C16.2 | Malignant neoplasm of body of stomach |
| C16.3 | Malignant neoplasm of pyloric antrum |
| C16.4 | Malignant neoplasm of pylorus |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified |
| C16.8 | Malignant neoplasm of overlapping sites of stomach |
| C16.9 | Malignant neoplasm of stomach, unspecified |
| C17. | Malignant neoplasm of duodenum |
| C17.1 | Malignant neoplasm of jejunum |
| C17. | Malignant neoplasm of ileum |
| C17.3 | Meckel's diverticulum, malignant |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine |
| C17.9 | Malignant neoplasm of small intestine, unspecified |
| C18.0 | Malignant neoplasm of cecum |
| C18.1 | Malignant neoplasm of appendix |
| C18.2 | Malignant neoplasm of ascending colon |
| C18.3 | Malignant neoplasm of hepatic flexure |
| C18.4 | Malignant neoplasm of transverse colon |
| C18.5 | Malignant neoplasm of splenic flexure |
| C18.6 | Malignant neoplasm of descending colon |
| C18.7 | Malignant neoplasm of sigmoid colon |
| C18. | Malignant neoplasm of overlapping sites of colon |
| C18.9 | Malignant neoplasm of colon, unspecified |
| C19 | Malignant neoplasm of rectosigmoid junction |
| C20 | Malignant neoplasm of rectum |
| C21.0 | Malignant neoplasm of anus, unspecified |
| C21.1 | Malignant neoplasm of anal canal |
| C21.2 | Malignant neoplasm of cloacogenic zone |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C22.0 | Liver cell carcinoma |

NCD 190.34

***October 20 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| C22.1 | Intrahepatic bile duct carcinoma |
| C22.2 | Hepatoblastoma |
| C22. | ngiosarcoma of liver |
| C22.4 | Other sarcomas of liver |
| C22.7 | Other specified carcinomas of liver |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary |
| C23 | Malignant neoplasm of gallbladder |
| C24.0 | Malignant neoplasm of extrahepatic bile duct |
| C24.1 | Malignant neoplasm of ampulla of Vater |
| C24.8 | Malignant neoplasm of overlapping sites of biliary tract |
| C24.9 | Malignant neoplasm of biliary tract, unspecified |
| C25 | Malignant neoplasm of head of pancreas |
| C25.1 | Malignant neoplasm of body of pancreas |
| C25.2 | Malignant neoplasm of tail of pancreas |
| C25.3 | Malignant neoplasm of pancreatic duct |
| C25.4 | Malignant neoplasm of endocrine pancreas |
| C25.7 | Malignant neoplasm of other parts of pancreas |
| C25.8 | Malignant neoplasm of overlapping sites of pancreas |
| C25.9 | Malignant neoplasm of pancreas, unspecified |
| C26.0 | Malignant neoplasm of intestinal tract, part unspecified |
| C26.1 | Malignant neoplasm of spleen |
| C26.9 | Malignant neoplasm of ill-defined sites within the digestive system |
| C46.4 | Kaposi's sarcoma of gastrointestinal sites |
| C78.4 | Secondary malignant neoplasm of small intestine |
| C78.5 | Secondary malignant neoplasm of large intestine and rectum |
| C78.7 | Secondary malignant neoplasm of liver and intrahepatic bile duct |
| C78.80 | Secondary malignant neoplasm of unspecified digestive organ |
| C78.8 | Secondary malignant neoplasm of other digestive organs |
| C7A.010 | Malignant carcinoid tumor of the duodenum |
| C7A.011 | Malignant carcinoid tumor of the jejunum |
| C7A.012 | Malignant carcinoid tumor of the ileum |
| C7A.019 | Malignant carcinoid tumor of the small intestine, unspecified portion |
| C7A.02 | Malignant carcinoid tumor of the appendix |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| C7A.021 | Malignant carcinoid tumor of the cecum |
| C7A.022 | Malignant carcinoid tumor of the ascending colon |
| C7A.023 | Malignant carcinoid tumor of the transverse colon |
| C7A.024 | Malignant carcinoid tumor of the descending colon |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon |
| C7A.026 | Malignant carcinoid tumor of the rectum |
| C7A.029 | Malignant carcinoid tumor of the large intestine, unspecified portion |
| C7B.00 | Secondary carcinoid tumors, unspecified site |
| C7B.01 | Secondary carcinoid tumors of distant lymph nodes |
| C7B.02 | Secondary carcinoid tumors of liver |
| C7B.03 | Secondary carcinoid tumors of bone |
| C7B.04 | Secondary carcinoid tumors of peritoneum |
| C7B.09 | Secondary carcinoid tumors of other sites |
| C7B.1 | Secondary Merkel cell carcinoma |
| C7B.8 | Other secondary neuroendocrine tumors |
| C80.0 | Disseminated malignant neoplasm, unspecified |
| C91.00 | Acute lymphoblastic leukemia not having achieved remission |
| C91.01 | Acute lymphoblastic leukemia, in remission |
| C91.02 | Acute lymphoblastic leukemia, in relapse |
| C91.10 | Chronic lymphocytic leukemia of B-cell type not having achieved remission |
| C91.11 | Chronic lymphocytic leukemia of B-cell type in remission |
| C91.12 | Chronic lymphocytic leukemia of B-cell type in relapse |
| C91.30 | Prolymphocytic leukemia of B-cell type not having achieved remission |
| C91.31 | Prolymphocytic leukemia of B-cell type, in remission |
| C91.32 | Prolymphocytic leukemia of B-cell type, in relapse |
| C91.50 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission |
| C91.52 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse |
| C91.60 | Prolymphocytic leukemia of T-cell type not having achieved remission |
| C91.61 | Prolymphocytic leukemia of T-cell type, in remission |
| C91. | Prolymphocytic leukemia of T-cell type, in relapse |
| C91.90 | Lymphoid leukemia, unspecified not having achieved remission |
| C91.91 | Lymphoid leukemia, unspecified, in remission |
| C91.92 | Lymphoid leukemia, unspecified, in relapse |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| C91.A0 | Mature B-cell leukemia Burkitt-type not having achieved remission |
| C91.A1 | Mature B-cell leukemia Burkitt-type, in remission |
| C91.A2 | Mature B-cell leukemia Burkitt-type, in relapse |
| C91.Z0 | Other lymphoid leukemia not having achieved remission |
| C91.Z1 | Other lymphoid leukemia, in remission |
| C91.Z2 | Other lymphoid leukemia, in relapse |
| C92.00 | Acute myeloblastic leukemia, not having achieved remission |
| C92.01 | Acute myeloblastic leukemia, in remission |
| C92.02 | Acute myeloblastic leukemia, in relapse |
| C92.10 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission |
| C92.11 | Chronic myeloid leukemia, BCR/ABL-positive, in remission |
| C92.12 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse |
| C92.20 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |
| C92.21 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission |
| C92.22 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse |
| C92.30 | Myeloid sarcoma, not having achieved remission |
| C92.31 | Myeloid sarcoma, in remission |
| C92.32 | Myeloid sarcoma, in relapse |
| C92.40 | Acute promyelocytic leukemia, not having achieved remission |
| C92.41 | Acute promyelocytic leukemia, in remission |
| C92.42 | Acute promyelocytic leukemia, in relapse |
| C92.50 | Acute myelomonocytic leukemia, not having achieved remission |
| C92.51 | Acute myelomonocytic leukemia, in remission |
| C92.52 | Acute myelomonocytic leukemia, in relapse |
| C92.60 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission |
| C92.61 | Acute myeloid leukemia with 11q23-abnormality in remission |
| C92.62 | Acute myeloid leukemia with 11q23-abnormality in relapse |
| C92.90 | Myeloid leukemia, unspecified, not having achieved remission |
| C92.91 | Myeloid leukemia, unspecified in remission |
| C92.92 | Myeloid leukemia, unspecified in relapse |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse |
| C92.Z0 | Other myeloid leukemia not having achieved remission |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD- M)**

| Code | Description |
|--------|---|
| C92.Z1 | Other myeloid leukemia, in remission |
| C92.Z2 | Other myeloid leukemia, in relapse |
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission |
| C93.11 | Chronic myelomonocytic leukemia, in remission |
| C93.12 | Chronic myelomonocytic leukemia, in relapse |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission |
| C93.31 | Juvenile myelomonocytic leukemia, in remission |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse |
| C93.90 | Monocytic leukemia, unspecified, not having achieved remission |
| C93.91 | Monocytic leukemia, unspecified in remission |
| C93.92 | Monocytic leukemia, unspecified in relapse |
| C93.Z0 | Other monocytic leukemia, not having achieved remission |
| C93.Z1 | Other monocytic leukemia, in remission |
| C93.Z2 | Other monocytic leukemia, in relapse |
| C94.00 | Acute erythroid leukemia, not having achieved remission |
| C94.01 | Acute erythroid leukemia, in remission |
| C94.02 | Acute erythroid leukemia, in relapse |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission |
| C94.21 | Acute megakaryoblastic leukemia, in remission |
| C94.22 | Acute megakaryoblastic leukemia, in relapse |
| C94.30 | Mast cell leukemia not having achieved remission |
| C94.31 | Mast cell leukemia, in remission |
| C94.32 | Mast cell leukemia, in relapse |
| C94.80 | Other specified leukemias not having achieved remission |
| C94.81 | Other specified leukemias, in remission |
| C94.82 | Other specified leukemias, in relapse |
| C95.00 | Acute leukemia of unspecified cell type not having achieved remission |
| C95.01 | Acute leukemia of unspecified cell type, in remission |
| C95.02 | Acute leukemia of unspecified cell type, in relapse |
| C95.10 | Chronic leukemia of unspecified cell type not having achieved remission |
| C95.11 | Chronic leukemia of unspecified cell type, in remission |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------------|--|
| C95.12 | Chronic leukemia of unspecified cell type, in relapse |
| C95.90 | Leukemia, unspecified not having achieved remission |
| C95.91 | Leukemia, unspecified, in remission |
| C95.92 | Leukemia, unspecified, in relapse |
| D00.2 | Carcinoma in situ of stomach |
| D01. | Carcinoma in situ of colon |
| D01.1 | Carcinoma in situ of rectosigmoid junction |
| D01.2 | Carcinoma in situ of rectum |
| D01.3 | Carcinoma in situ of anus and anal canal |
| D01.40 | Carcinoma in situ of unspecified part of intestine |
| D01.49 | Carcinoma in situ of other parts of intestine |
| D01.5 | Carcinoma in situ of liver, gallbladder and bile ducts |
| D01.7 | Carcinoma in situ of other specified digestive organs |
| D01.9 | Carcinoma in situ of digestive organ, unspecified |
| D12.0 | Benign neoplasm of cecum |
| D12.1 | Benign neoplasm of appendix |
| D12.2 | Benign neoplasm of ascending colon |
| D12.3 | Benign neoplasm of transverse colon |
| D12.4 | Benign neoplasm of descending colon |
| D12. | Benign neoplasm of sigmoid colon |
| D12. | Benign neoplasm of colon, unspecified |
| D12.7 | Benign neoplasm of rectosigmoid junction |
| D12.8 | Benign neoplasm of rectum |
| D12. | Benign neoplasm of anus and anal canal |
| D13.0 | Benign neoplasm of esophagus |
| D13. | Benign neoplasm of stomach |
| D13.2 | Benign neoplasm of duodenum |
| D13.30 | Benign neoplasm of unspecified part of small intestine |
| D13.39 | Benign neoplasm of other parts of small intestine |
| D13. | Benign neoplasm of liver |
| D13. | Benign neoplasm of extrahepatic bile ducts |
| D13.6 | Benign neoplasm of pancreas |
| D13.7 | Benign neoplasm of endocrine pancreas |
| *D13.91 | Familial adenomatous polyposis |

NCD 190.34

***October 2022 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10 M)**

| Code | Description |
|----------------|--|
| *D13.99 | *Benign neoplasm of ill-defined sites within the digestive system |
| D18.03 | Hemangioma of intra-abdominal structures |
| D19.1 | Benign neoplasm of mesothelial tissue of peritoneum |
| D20.0 | Benign neoplasm of soft tissue of retroperitoneum |
| D20.1 | Benign neoplasm of soft tissue of peritoneum |
| D37.1 | Neoplasm of uncertain behavior of stomach |
| D37.2 | Neoplasm of uncertain behavior of small intestine |
| D37.3 | Neoplasm of uncertain behavior of appendix |
| D37.4 | Neoplasm of uncertain behavior of colon |
| D37.5 | Neoplasm of uncertain behavior of rectum |
| D37.8 | Neoplasm of uncertain behavior of other specified digestive organs |
| D37.9 | Neoplasm of uncertain behavior of digestive organ, unspecified |
| D3A.010 | Benign carcinoid tumor of the duodenum |
| D3A.011 | Benign carcinoid tumor of the jejunum |
| D3A.012 | Benign carcinoid tumor of the ileum |
| D3A.019 | Benign carcinoid tumor of the small intestine, unspecified portion |
| D3A.020 | Benign carcinoid tumor of the appendix |
| D3A.021 | Benign carcinoid tumor of the cecum |
| D3A.022 | Benign carcinoid tumor of the ascending colon |
| D3A.023 | Benign carcinoid tumor of the transverse colon |
| D3A.024 | Benign carcinoid tumor of the descending colon |
| D3A.025 | Benign carcinoid tumor of the sigmoid colon |
| D3A.02 | Benign carcinoid tumor of the rectum |
| D3A.029 | Benign carcinoid tumor of the large intestine, unspecified portion |
| D45 | Polycythemia vera |
| D49.0 | Neoplasm of unspecified behavior of digestive system |
| D50.0 | Iron deficiency anemia secondary to blood loss (chronic) |
| D50.1 | Sideropenic dysphagia |
| D50.8 | Other iron deficiency anemias |
| D50.9 | Iron deficiency anemia, unspecified |
| D61.82 | Myelophthisis |
| D62 | Acute posthemorrhagic anemia |
| D63.0 | Anemia in neoplastic disease |
| D63.1 | Anemia in chronic kidney disease |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| D63.8 | Anemia in other chronic diseases classified elsewhere |
| D64.0 | Hereditary sideroblastic anemia |
| D64.1 | Secondary sideroblastic anemia due to disease |
| D64.2 | Secondary sideroblastic anemia due to drugs and toxins |
| D64.3 | Other sideroblastic anemias |
| D64.4 | Congenital dyserythropoietic anemia |
| D64.81 | nemia due to antineoplastic chemotherapy |
| D64. | Other specified anemias |
| D64.9 | Anemia, unspecified |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] |
| D66 | Hereditary factor VIII deficiency |
| D67 | Hereditary factor IX deficiency |
| D68.00 | Von Willebrand disease, unspecified |
| D68.01 | Von Willebrand disease, type 1 |
| D68.020 | Von Willebrand disease, type 2A |
| D68.021 | Von Willebrand disease, type 2B |
| D68.022 | Von Willebrand disease, type 2M |
| D68.023 | Von Willebrand disease, type 2N |
| D68.029 | Von Willebrand disease, type 2, unspecified |
| D68.03 | Von Willebrand disease, type 3 |
| D68.04 | Acquired von Willebrand disease |
| D68.09 | Other von Willebrand disease |
| D68.1 | Hereditary factor XI deficiency |
| D68.2 | Hereditary deficiency of other clotting factors |
| D68.311 | cquired hemophilia |
| D68.312 | Antiphospholipid antibody with hemorrhagic disorder |
| D68.318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D68.3 | Hemorrhagic disorder due to extrinsic circulating anticoagulants |
| D68.4 | Acquired coagulation factor deficiency |
| D68.8 | Other specified coagulation defects |
| D68.9 | Coagulation defect, unspecified |
| D69.0 | llergic purpura |
| D69.1 | Qualitative platelet defects |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| D69.2 | Other nonthrombocytopenic purpura |
| D69.3 | Immune thrombocytopenic purpura |
| D69.41 | Evans syndrome |
| D69.4 | Congenital and hereditary thrombocytopenia purpura |
| D69.49 | Other primary thrombocytopenia |
| D69.51 | Posttransfusion purpura |
| D69.59 | Other secondary thrombocytopenia |
| D69.6 | Thrombocytopenia, unspecified |
| D69.8 | Other specified hemorrhagic conditions |
| D69.9 | Hemorrhagic condition, unspecified |
| D75.838 | Other thrombocytosis |
| D75 | Thrombocytosis, unspecified |
| D75.8 | Other platelet-activating anti-PF4 disorders |
| D89.831 | Cytokine release syndrome, grade 1 |
| D89.832 | Cytokine release syndrome, grade 2 |
| D89.833 | Cytokine release syndrome, grade 3 |
| D89 | Cytokine release syndrome, grade 4 |
| D89 | Cytokine release syndrome, grade 5 |
| G89.3 | Neoplasm related pain (acute) (chronic) |
| G93.31 | Postviral fatigue syndrome |
| G93.32 | Myalgic encephalomyelitis/chronic fatigue syndrome |
| G93.39 | Other post infection and related fatigue syndromes |
| I78.0 | Hereditary hemorrhagic telangiectasia |
| I85.00 | Esophageal varices without bleeding |
| I85.01 | Esophageal varices with bleeding |
| I85.10 | Secondary esophageal varices without bleeding |
| I85.11 | Secondary esophageal varices with bleeding |
| J86.0 | Pyothorax with fistula |
| K20.0 | Eosinophilic esophagitis |
| K20.80 | Other esophagitis without bleeding |
| K20.81 | Other esophagitis with bleeding |
| K20.90 | Esophagitis, unspecified without bleeding |
| K20.91 | Esophagitis, unspecified with bleeding |
| K21.00 | Gastro-esophageal reflux disease with esophagitis, without bleeding |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| K21.01 | Gastro-esophageal reflux disease with esophagitis, with bleeding |
| K21.9 | Gastro-esophageal reflux disease without esophagitis |
| K22. | Ulcer of esophagus without bleeding |
| K22.11 | Ulcer of esophagus with bleeding |
| K22.2 | Esophageal obstruction |
| K22.3 | Perforation of esophagus |
| K22.4 | Dyskinesia of esophagus |
| K22.5 | Diverticulum of esophagus, acquired |
| K22.6 | Gastro-esophageal laceration-hemorrhage syndrome |
| K22. | Barrett's esophagus without dysplasia |
| K22.710 | Barrett's esophagus with low grade dysplasia |
| K22.711 | Barrett's esophagus with high grade dysplasia |
| K22.719 | Barrett's esophagus with dysplasia, unspecified |
| K22. | Esophageal polyp |
| K22.82 | Esophagogastric junction polyp |
| K22.89 | Other specified disease of esophagus |
| K22.9 | Disease of esophagus, unspecified |
| K23 | Disorders of esophagus in diseases classified elsewhere |
| K25.0 | Acute gastric ulcer with hemorrhage |
| K25.1 | Acute gastric ulcer with perforation |
| K25.2 | Acute gastric ulcer with both hemorrhage and perforation |
| K25.3 | Acute gastric ulcer without hemorrhage or perforation |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage |
| K25.5 | Chronic or unspecified gastric ulcer with perforation |
| K25. | Chronic or unspecified gastric ulcer with both hemorrhage and perforation |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation |
| K25.9 | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K26.0 | Acute duodenal ulcer with hemorrhage |
| K26.1 | Acute duodenal ulcer with perforation |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation |
| K26.3 | Acute duodenal ulcer without hemorrhage or perforation |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage |
| K26.5 | Chronic or unspecified duodenal ulcer with perforation |
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10 M)**

| Code | Description |
|-------------|--|
| K26.7 | Chronic duodenal ulcer without hemorrhage or perforation |
| K26.9 | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage |
| K27.1 | Acute peptic ulcer, site unspecified, with perforation |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation |
| K27.3 | Acute peptic ulcer, site unspecified, without hemorrhage or perforation |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage |
| K27.5 | Chronic or unspecified peptic ulcer, site unspecified, with perforation |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation |
| K27.7 | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation |
| K27.9 | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage |
| K28.1 | Acute gastrojejunal ulcer with perforation |
| K28.2 | Acute gastrojejunal ulcer with both hemorrhage and perforation |
| K28.3 | Acute gastrojejunal ulcer without hemorrhage or perforation |
| K28.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage |
| K28.5 | Chronic or unspecified gastrojejunal ulcer with perforation |
| K28.6 | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation |
| K28.7 | Chronic gastrojejunal ulcer without hemorrhage or perforation |
| K28.9 | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K29.00 | Acute gastritis without bleeding |
| K29.01 | Acute gastritis with bleeding |
| K29.20 | Alcoholic gastritis without bleeding |
| K29.21 | Alcoholic gastritis with bleeding |
| K29.30 | Chronic superficial gastritis without bleeding |
| K29.31 | Chronic superficial gastritis with bleeding |
| K29.40 | Chronic atrophic gastritis without bleeding |
| K29.41 | Chronic atrophic gastritis with bleeding |
| K29.50 | Unspecified chronic gastritis without bleeding |
| K29.51 | Unspecified chronic gastritis with bleeding |
| K29.60 | Other gastritis without bleeding |
| K29.61 | Other gastritis with bleeding |
| K29.70 | Gastritis, unspecified, without bleeding |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

October 2023



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD- M)**

| Code | Description |
|---------|--|
| K29.71 | Gastritis, unspecified, with bleeding |
| K29.80 | Duodenitis without bleeding |
| K29.81 | Duodenitis with bleeding |
| K29.90 | Gastroduodenitis, unspecified, without bleeding |
| K29.91 | Gastroduodenitis, unspecified, with bleeding |
| K30 | Functional dyspepsia |
| K31.1 | Adult hypertrophic pyloric stenosis |
| K31.4 | Gastric diverticulum |
| K31.5 | Obstruction of duodenum |
| K31.6 | Fistula of stomach and duodenum |
| K31.7 | Polyp of stomach and duodenum |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding |
| K31.819 | Angiodysplasia of stomach and duodenum without bleeding |
| K31.82 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum |
| K31.89 | Other diseases of stomach and duodenum |
| K31.9 | Disease of stomach and duodenum, unspecified |
| K31.A0 | Gastric intestinal metaplasia, unspecified |
| K31.A1 | Gastric intestinal metaplasia without dysplasia, involving the antrum |
| K31.A12 | Gastric intestinal metaplasia without dysplasia, involving the body (corpus) |
| K31.A13 | Gastric intestinal metaplasia without dysplasia, involving the fundus |
| K31.A14 | Gastric intestinal metaplasia without dysplasia, involving the cardia |
| K31.A15 | Gastric intestinal metaplasia without dysplasia, involving multiple sites |
| K31.A19 | Gastric intestinal metaplasia without dysplasia, unspecified site |
| K31.A21 | Gastric intestinal metaplasia with low grade dysplasia |
| K31.A22 | Gastric intestinal metaplasia with high grade dysplasia |
| K31.A29 | Gastric intestinal metaplasia with dysplasia, unspecified |
| K50.00 | Crohn's disease of small intestine without complications |
| K50.011 | Crohn's disease of small intestine with rectal bleeding |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction |
| K50.013 | Crohn's disease of small intestine with fistula |
| K50.014 | Crohn's disease of small intestine with abscess |
| K50.018 | Crohn's disease of small intestine with other complication |
| K50.019 | Crohn's disease of small intestine with unspecified complications |
| K50.10 | Crohn's disease of large intestine without complications |

NCD 190.34

***October 2023 Changes
ICD-10 CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10 M)**

| Code | Description |
|-------------|--|
| K50.111 | Crohn's disease of large intestine with rectal bleeding |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction |
| K50.113 | Crohn's disease of large intestine with fistula |
| K50.114 | Crohn's disease of large intestine with abscess |
| K50.118 | Crohn's disease of large intestine with other complication |
| K50.119 | Crohn's disease of large intestine with unspecified complications |
| K50.80 | Crohn's disease of both small and large intestine without complications |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction |
| K50.813 | Crohn's disease of both small and large intestine with fistula |
| K50.814 | Crohn's disease of both small and large intestine with abscess |
| K50.818 | Crohn's disease of both small and large intestine with other complication |
| K50.819 | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90 | Crohn's disease, unspecified, without complications |
| K50.911 | Crohn's disease, unspecified, with rectal bleeding |
| K50.912 | Crohn's disease, unspecified, with intestinal obstruction |
| K50.913 | Crohn's disease, unspecified, with fistula |
| K50.914 | Crohn's disease, unspecified, with abscess |
| K50.918 | Crohn's disease, unspecified, with other complication |
| K50.919 | Crohn's disease, unspecified, with unspecified complications |
| K51.00 | Ulcerative (chronic) pancolitis without complications |
| K51.011 | Ulcerative (chronic) pancolitis with rectal bleeding |
| K51.012 | Ulcerative (chronic) pancolitis with intestinal obstruction |
| K51.013 | Ulcerative (chronic) pancolitis with fistula |
| K51.014 | Ulcerative (chronic) pancolitis with abscess |
| K51.018 | Ulcerative (chronic) pancolitis with other complication |
| K51.019 | Ulcerative (chronic) pancolitis with unspecified complications |
| K51.20 | Ulcerative (chronic) proctitis without complications |
| K51.211 | Ulcerative (chronic) proctitis with rectal bleeding |
| K51.212 | Ulcerative (chronic) proctitis with intestinal obstruction |
| K51.213 | Ulcerative (chronic) proctitis with fistula |
| K51.214 | Ulcerative (chronic) proctitis with abscess |
| K51.218 | Ulcerative (chronic) proctitis with other complication |
| K51.219 | Ulcerative (chronic) proctitis with unspecified complications |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| K51.30 | Ulcerative (chronic) rectosigmoiditis without complications |
| K51.31 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding |
| K51.31 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction |
| K51.31 | Ulcerative (chronic) rectosigmoiditis with fistula |
| K51.314 | Ulcerative (chronic) rectosigmoiditis with abscess |
| K51.318 | Ulcerative (chronic) rectosigmoiditis with other complication |
| K51.31 | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40 | Inflammatory polyps of colon without complications |
| K51.411 | Inflammatory polyps of colon with rectal bleeding |
| K51.41 | Inflammatory polyps of colon with intestinal obstruction |
| K51.413 | Inflammatory polyps of colon with fistula |
| K51.41 | Inflammatory polyps of colon with abscess |
| K51.41 | Inflammatory polyps of colon with other complication |
| K51.41 | Inflammatory polyps of colon with unspecified complications |
| K51.50 | Left sided colitis without complications |
| K51.51 | Left sided colitis with rectal bleeding |
| K51.51 | Left sided colitis with intestinal obstruction |
| K51.51 | Left sided colitis with fistula |
| K51.514 | Left sided colitis with abscess |
| K51.51 | Left sided colitis with other complication |
| K51.519 | Left sided colitis with unspecified complications |
| K51.80 | Other ulcerative colitis without complications |
| K51.811 | Other ulcerative colitis with rectal bleeding |
| K51.81 | Other ulcerative colitis with intestinal obstruction |
| K51.81 | Other ulcerative colitis with fistula |
| K51.81 | Other ulcerative colitis with abscess |
| K51.81 | Other ulcerative colitis with other complication |
| K51.81 | Other ulcerative colitis with unspecified complications |
| K51.90 | Ulcerative colitis, unspecified, without complications |
| K51.91 | Ulcerative colitis, unspecified with rectal bleeding |
| K51.91 | Ulcerative colitis, unspecified with intestinal obstruction |
| K51.91 | Ulcerative colitis, unspecified with fistula |
| K51.91 | Ulcerative colitis, unspecified with abscess |
| K51.918 | Ulcerative colitis, unspecified with other complication |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| K51.919 | Ulcerative colitis, unspecified with unspecified complications |
| K52.0 | Gastroenteritis and colitis due to radiation |
| K52.1 | Toxic gastroenteritis and colitis |
| K52. | Food protein-induced enterocolitis syndrome |
| K52.22 | Food protein-induced enteropathy |
| K52.29 | Other allergic and dietetic gastroenteritis and colitis |
| K52. | Indeterminate colitis |
| K52.81 | Eosinophilic gastritis or gastroenteritis |
| K52.82 | Eosinophilic colitis |
| K52.831 | Collagenous colitis |
| K52.832 | Lymphocytic colitis |
| K52.838 | Other microscopic colitis |
| K52.839 | Microscopic colitis, unspecified |
| K52.89 | Other specified noninfective gastroenteritis and colitis |
| K52.9 | Noninfective gastroenteritis and colitis, unspecified |
| K55.011 | Focal (segmental) acute (reversible) ischemia of small intestine |
| K55.012 | Diffuse acute (reversible) ischemia of small intestine |
| K55.019 | Acute (reversible) ischemia of small intestine, extent unspecified |
| K55.021 | Focal (segmental) acute infarction of small intestine |
| K55.022 | Diffuse acute infarction of small intestine |
| K55.029 | Acute infarction of small intestine, extent unspecified |
| K55.03 | Focal (segmental) acute (reversible) ischemia of large intestine |
| K55.032 | Diffuse acute (reversible) ischemia of large intestine |
| K55.039 | Acute (reversible) ischemia of large intestine, extent unspecified |
| K55.041 | Focal (segmental) acute infarction of large intestine |
| K55.042 | Diffuse acute infarction of large intestine |
| K55.049 | Acute infarction of large intestine, extent unspecified |
| K55.051 | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified |
| K55.05 | Diffuse acute (reversible) ischemia of intestine, part unspecified |
| K55.059 | Acute (reversible) ischemia of intestine, part and extent unspecified |
| K55.061 | Focal (segmental) acute infarction of intestine, part unspecified |
| K55.062 | Diffuse acute infarction of intestine, part unspecified |
| K55.069 | Acute infarction of intestine, part and extent unspecified |
| K55.1 | Chronic vascular disorders of intestine |

NCD 190.34

***October 2023 Changes
ICD-10 CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| K55.20 | Angiodysplasia of colon without hemorrhage |
| K55.21 | Angiodysplasia of colon with hemorrhage |
| K55.30 | Necrotizing enterocolitis, unspecified |
| K55.31 | Stage 1 necrotizing enterocolitis |
| K55.32 | Stage 2 necrotizing enterocolitis |
| K55.33 | Stage 3 necrotizing enterocolitis |
| K55.8 | Other vascular disorders of intestine |
| K55.9 | Vascular disorder of intestine, unspecified |
| K56.0 | Paralytic ileus |
| K56.1 | Intussusception |
| K56.2 | Volvulus |
| K56.3 | Gallstone ileus |
| K56.41 | Fecal impaction |
| K56.49 | Other impaction of intestine |
| K56.699 | Other intestinal obstruction unspecified as to partial versus complete obstruction |
| K56.7 | Ileus, unspecified |
| K57.20 | Diverticulitis of large intestine with perforation and abscess without bleeding |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding |
| K57.30 | Diverticulosis of large intestine without perforation or abscess without bleeding |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding |
| K57.32 | Diverticulitis of large intestine without perforation or abscess without bleeding |
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding |
| K57.40 | Diverticulitis of both small and large intestine with perforation and abscess without bleeding |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding |
| K57.50 | Diverticulosis of both small and large intestine without perforation or abscess without bleeding |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding |
| K57.52 | Diverticulitis of both small and large intestine without perforation or abscess without bleeding |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding |
| K57.80 | Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding |
| K57.90 | Diverticulosis of intestine, part unspecified, without perforation or abscess without bleeding |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| K57. | Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding |
| K58.0 | Irritable bowel syndrome with diarrhea |
| K58.1 | Irritable bowel syndrome with constipation |
| K58.2 | Mixed irritable bowel syndrome |
| K58.8 | Other irritable bowel syndrome |
| K58.9 | Irritable bowel syndrome without diarrhea |
| K59.00 | Constipation, unspecified |
| K59.01 | Slow transit constipation |
| K59. | Outlet dysfunction constipation |
| K59. | Chronic idiopathic constipation |
| K59.09 | Other constipation |
| K59.1 | Functional diarrhea |
| K59.2 | Neurogenic bowel, not elsewhere classified |
| K59.31 | Toxic megacolon |
| K59.39 | Other megacolon |
| K59. | nal spasm |
| K59.81 | Ogilvie syndrome |
| K59.89 | Other specified functional intestinal disorders |
| K59.9 | Functional intestinal disorder, unspecified |
| K60.0 | Acute anal fissure |
| K60.1 | Chronic anal fissure |
| K60. | nal fissure, unspecified |
| K60.3 | Anal fistula |
| K60.4 | Rectal fistula |
| K60.5 | Anorectal fistula |
| K62.0 | Anal polyp |
| K62.1 | Rectal polyp |
| K62.2 | Anal prolapse |
| K62.3 | Rectal prolapse |
| K62.5 | Hemorrhage of anus and rectum |
| K62.6 | Ulcer of anus and rectum |
| K62.7 | Radiation proctitis |
| K62.81 | Anal sphincter tear (healed) (nontraumatic) (old) |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10- M)**

| Code | Description |
|--------|--|
| K62.82 | Dysplasia of anus |
| K62.8 | Other specified diseases of anus and rectum |
| K62.9 | Disease of anus and rectum, unspecified |
| K63.1 | Perforation of intestine (nontraumatic) |
| K63.3 | Ulcer of intestine |
| K63.5 | Polyp of colon |
| K63.81 | Dieulafoy lesion of intestine |
| K64.0 | First degree hemorrhoids |
| K64 | Second degree hemorrhoids |
| K64.2 | Third degree hemorrhoids |
| K64.3 | Fourth degree hemorrhoids |
| K64.4 | Residual hemorrhoidal skin tags |
| K64.5 | Perianal venous thrombosis |
| K64.8 | Other hemorrhoids |
| K64.9 | Unspecified hemorrhoids |
| K70.0 | Alcoholic fatty liver |
| K70.10 | Alcoholic hepatitis without ascites |
| K70.11 | Alcoholic hepatitis with ascites |
| K70.2 | Alcoholic fibrosis and sclerosis of liver |
| K70.30 | Alcoholic cirrhosis of liver without ascites |
| K70.31 | Alcoholic cirrhosis of liver with ascites |
| K70 | Alcoholic hepatic failure without coma |
| K70.41 | Alcoholic hepatic failure with coma |
| K70.9 | Alcoholic liver disease, unspecified |
| K73.0 | Chronic persistent hepatitis, not elsewhere classified |
| K73.1 | Chronic lobular hepatitis, not elsewhere classified |
| K73.2 | Chronic active hepatitis, not elsewhere classified |
| K73 | Other chronic hepatitis, not elsewhere classified |
| K73.9 | Chronic hepatitis, unspecified |
| K74.00 | Hepatic fibrosis, unspecified |
| K74.01 | Hepatic fibrosis, early fibrosis |
| K74.02 | Hepatic fibrosis, advanced fibrosis |
| K74.1 | Hepatic sclerosis |
| K74.2 | Hepatic fibrosis with hepatic sclerosis |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| K74.3 | Primary biliary cirrhosis |
| K74.4 | Secondary biliary cirrhosis |
| K74.5 | Biliary cirrhosis, unspecified |
| K74.60 | Unspecified cirrhosis of liver |
| K74.69 | Other cirrhosis of liver |
| K75.4 | Autoimmune hepatitis |
| K75.81 | Nonalcoholic steatohepatitis (NASH) |
| K76.0 | Fatty (change of) liver, not elsewhere classified |
| K76.89 | Other specified diseases of liver |
| K76.9 | Liver disease, unspecified |
| K85.0 | Idiopathic acute pancreatitis without necrosis or infection |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis |
| K85.10 | Biliary acute pancreatitis without necrosis or infection |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis |
| K85.12 | Biliary acute pancreatitis with infected necrosis |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection |
| K85.21 | Alcohol induced acute pancreatitis with uninfected necrosis |
| K85.22 | Alcohol induced acute pancreatitis with infected necrosis |
| K85.30 | Drug induced acute pancreatitis without necrosis or infection |
| K85.31 | Drug induced acute pancreatitis with uninfected necrosis |
| K85.32 | Drug induced acute pancreatitis with infected necrosis |
| K85.80 | Other acute pancreatitis without necrosis or infection |
| K85.81 | Other acute pancreatitis with uninfected necrosis |
| K85.82 | Other acute pancreatitis with infected necrosis |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified |
| K86.0 | Alcohol-induced chronic pancreatitis |
| K86.1 | Other chronic pancreatitis |
| K86.2 | Cyst of pancreas |
| K86.3 | Pseudocyst of pancreas |
| K86.81 | Exocrine pancreatic insufficiency |
| K86.89 | Other specified diseases of pancreas |

NCD 190.34

***October 2023 Changes
ICD-10 CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| K86.9 | Disease of pancreas, unspecified |
| K87 | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.0 | Celiac disease |
| K90.41 | Non-celiac gluten sensitivity |
| K90.49 | Malabsorption due to intolerance, not elsewhere classified |
| K90.81 | Whipple's disease |
| K90.89 | Other intestinal malabsorption |
| K91.0 | Vomiting following gastrointestinal surgery |
| K91.1 | Postgastric surgery syndromes |
| K91.89 | Other postprocedural complications and disorders of digestive system |
| K92.0 | Hematemesis |
| K92.1 | Melena |
| K92.2 | Gastrointestinal hemorrhage, unspecified |
| K94.30 | Esophagostomy complications, unspecified |
| K94.31 | Esophagostomy hemorrhage |
| K94.32 | Esophagostomy infection |
| K94.33 | Esophagostomy malfunction |
| K94.39 | Other complications of esophagostomy |
| M33.03 | Juvenile dermatomyositis without myopathy |
| M33.13 | Other dermatomyositis without myopathy |
| M33.93 | Dermatopolymyositis, unspecified without myopathy |
| N32.1 | Vesicointestinal fistula |
| N80.50 | Endometriosis of intestine, unspecified |
| N80.511 | Superficial endometriosis of the rectum |
| N80.51 | Deep endometriosis of the rectum |
| N80.519 | Endometriosis of the rectum, unspecified depth |
| N80.52 | Superficial endometriosis of the sigmoid colon |
| N80.522 | Deep endometriosis of the sigmoid colon |
| N80.52 | Endometriosis of the sigmoid colon, unspecified depth |
| N80.531 | Superficial endometriosis of the cecum |
| N80.53 | Deep endometriosis of the cecum |
| N80.53 | Endometriosis of the cecum, unspecified depth |
| N80.541 | Superficial endometriosis of the appendix |
| N80.542 | Deep endometriosis of the appendix |

NCD 190.34

***October 2022 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| N80.549 | Endometriosis of the appendix, unspecified depth |
| N80.551 | Superficial endometriosis of other parts of the colon |
| N80.552 | Deep endometriosis of other parts of the colon |
| N80.559 | Endometriosis of other parts of the colon, unspecified depth |
| N80.561 | Superficial endometriosis of the small intestine |
| N80.562 | Deep endometriosis of the small intestine |
| N80.569 | Endometriosis of the small intestine, unspecified depth |
| R10. | cute abdomen |
| R10.10 | Upper abdominal pain, unspecified |
| R10.11 | Right upper quadrant pain |
| R10.12 | Left upper quadrant pain |
| R10.13 | Epigastric pain |
| R10.2 | Pelvic and perineal pain |
| R10. | Lower abdominal pain, unspecified |
| R10.31 | Right lower quadrant pain |
| R10. | Left lower quadrant pain |
| R10.33 | Periumbilical pain |
| R10.811 | Right upper quadrant abdominal tenderness |
| R10.812 | Left upper quadrant abdominal tenderness |
| R10.813 | Right lower quadrant abdominal tenderness |
| R10.814 | Left lower quadrant abdominal tenderness |
| R10.815 | Periumbilic abdominal tenderness |
| R10.816 | Epigastric abdominal tenderness |
| R10.817 | Generalized abdominal tenderness |
| R10.819 | Abdominal tenderness, unspecified site |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.822 | Left upper quadrant rebound abdominal tenderness |
| R10 | Right lower quadrant rebound abdominal tenderness |
| R10.824 | Left lower quadrant rebound abdominal tenderness |
| R10.825 | Periumbilic rebound abdominal tenderness |
| R10.826 | Epigastric rebound abdominal tenderness |
| R10.827 | Generalized rebound abdominal tenderness |
| R10.829 | Rebound abdominal tenderness, unspecified site |
| R10.83 | Colic |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| R10.84 | Generalized abdominal pain |
| R10.9 | Unspecified abdominal pain |
| R11. | Nausea |
| R11. | Vomiting, unspecified |
| R11.11 | Vomiting without nausea |
| R11.12 | Projectile vomiting |
| R11. | Vomiting of fecal matter |
| R11.14 | Bilious vomiting |
| R11.15 | Cyclical vomiting syndrome unrelated to migraine |
| R11. | Nausea with vomiting, unspecified |
| R12 | Heartburn |
| R13.0 | Aphagia |
| R13.10 | Dysphagia, unspecified |
| R13.11 | Dysphagia, oral phase |
| R13.12 | Dysphagia, oropharyngeal phase |
| R13.13 | Dysphagia, pharyngeal phase |
| R13.1 | Dysphagia, pharyngoesophageal phase |
| R13.19 | Other dysphagia |
| R18.0 | Malignant ascites |
| R18.8 | Other ascites |
| R19.00 | Intra-abdominal and pelvic swelling, mass and lump, unspecified site |
| R19.01 | Right upper quadrant abdominal swelling, mass and lump |
| R19.02 | Left upper quadrant abdominal swelling, mass and lump |
| R19.03 | Right lower quadrant abdominal swelling, mass and lump |
| R19.04 | Left lower quadrant abdominal swelling, mass and lump |
| R19.05 | Periumbilic swelling, mass or lump |
| R19.06 | Epigastric swelling, mass or lump |
| R19.07 | Generalized intra-abdominal and pelvic swelling, mass and lump |
| R19.09 | Other intra-abdominal and pelvic swelling, mass and lump |
| R19.30 | Abdominal rigidity, unspecified site |
| R19.31 | Right upper quadrant abdominal rigidity |
| R19.32 | Left upper quadrant abdominal rigidity |
| R19.33 | Right lower quadrant abdominal rigidity |
| R19.34 | Left lower quadrant abdominal rigidity |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD- M)**

| Code | Description |
|----------|---|
| R19.35 | Periumbilic abdominal rigidity |
| R19.36 | Epigastric abdominal rigidity |
| R19.37 | Generalized abdominal rigidity |
| R19.4 | Change in bowel habit |
| R19.5 | Other fecal abnormalities |
| R19.7 | Diarrhea, unspecified |
| R19.8 | Other specified symptoms and signs involving the digestive system and abdomen |
| R53.0 | Neoplastic (malignant) related fatigue |
| R53.1 | Weakness |
| R53.2 | Functional quadriplegia |
| R53. | Other malaise |
| R53. | Chronic fatigue, unspecified |
| R53.83 | Other fatigue |
| R63.0 | Anorexia |
| R63.4 | Abnormal weight loss |
| R79. | Abnormal coagulation profile |
| R93.5 | Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum |
| R94. | Abnormal results of liver function studies |
| S28.0XXA | Crushed chest, initial encounter |
| S31.001A | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.609A | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S35.00XA | Unspecified injury of abdominal aorta, initial encounter |
| S35.01XA | Minor laceration of abdominal aorta, initial encounter |
| S35.02XA | Major laceration of abdominal aorta, initial encounter |
| S35.09XA | Other injury of abdominal aorta, initial encounter |
| S35.10XA | Unspecified injury of inferior vena cava, initial encounter |
| S35.11XA | Minor laceration of inferior vena cava, initial encounter |
| S35.12XA | Major laceration of inferior vena cava, initial encounter |
| S35.19XA | Other injury of inferior vena cava, initial encounter |
| S35.211A | Minor laceration of celiac artery, initial encounter |
| S35.212A | Major laceration of celiac artery, initial encounter |
| S35.218A | Other injury of celiac artery, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| S35.219A | Unspecified injury of celiac artery, initial encounter |
| S35.221A | Minor laceration of superior mesenteric artery, initial encounter |
| S35.222A | Major laceration of superior mesenteric artery, initial encounter |
| S35.228A | Other injury of superior mesenteric artery, initial encounter |
| S35.229A | Unspecified injury of superior mesenteric artery, initial encounter |
| S35.231A | Minor laceration of inferior mesenteric artery, initial encounter |
| S35.232A | Major laceration of inferior mesenteric artery, initial encounter |
| S35.238A | Other injury of inferior mesenteric artery, initial encounter |
| S35.239A | Unspecified injury of inferior mesenteric artery, initial encounter |
| S35.291A | Minor laceration of branches of celiac and mesenteric artery, initial encounter |
| S35.292A | Major laceration of branches of celiac and mesenteric artery, initial encounter |
| S35.298A | Other injury of branches of celiac and mesenteric artery, initial encounter |
| S35.299A | Unspecified injury of branches of celiac and mesenteric artery, initial encounter |
| S35.311A | Laceration of portal vein, initial encounter |
| S35.318A | Other specified injury of portal vein, initial encounter |
| S35.319A | Unspecified injury of portal vein, initial encounter |
| S35.321A | Laceration of splenic vein, initial encounter |
| S35.328A | Other specified injury of splenic vein, initial encounter |
| S35.329A | Unspecified injury of splenic vein, initial encounter |
| S35.331A | Laceration of superior mesenteric vein, initial encounter |
| S35.338A | Other specified injury of superior mesenteric vein, initial encounter |
| S35.339A | Unspecified injury of superior mesenteric vein, initial encounter |
| S35.341A | Laceration of inferior mesenteric vein, initial encounter |
| S35.348A | Other specified injury of inferior mesenteric vein, initial encounter |
| S35.349A | Unspecified injury of inferior mesenteric vein, initial encounter |
| S35.401A | Unspecified injury of right renal artery, initial encounter |
| S35.402A | Unspecified injury of left renal artery, initial encounter |
| S35.403A | Unspecified injury of unspecified renal artery, initial encounter |
| S35.404A | Unspecified injury of right renal vein, initial encounter |
| S35.405A | Unspecified injury of left renal vein, initial encounter |
| S35.406A | Unspecified injury of unspecified renal vein, initial encounter |
| S35.411A | Laceration of right renal artery, initial encounter |
| S35.412A | Laceration of left renal artery, initial encounter |
| S35.413A | Laceration of unspecified renal artery, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|---|
| S35.414A | Laceration of right renal vein, initial encounter |
| S35.415A | Laceration of left renal vein, initial encounter |
| S35.416A | Laceration of unspecified renal vein, initial encounter |
| S35.491A | Other specified injury of right renal artery, initial encounter |
| S35.492A | Other specified injury of left renal artery, initial encounter |
| S35.493A | Other specified injury of unspecified renal artery, initial encounter |
| S35.494A | Other specified injury of right renal vein, initial encounter |
| S35.495A | Other specified injury of left renal vein, initial encounter |
| S35.496A | Other specified injury of unspecified renal vein, initial encounter |
| S35.50XA | Injury of unspecified iliac blood vessel(s), initial encounter |
| S35.511A | Injury of right iliac artery, initial encounter |
| S35.512A | Injury of left iliac artery, initial encounter |
| S35.513A | Injury of unspecified iliac artery, initial encounter |
| S35.514A | Injury of right iliac vein, initial encounter |
| S35.515A | Injury of left iliac vein, initial encounter |
| S35.516A | Injury of unspecified iliac vein, initial encounter |
| S35.531A | Injury of right uterine artery, initial encounter |
| S35.532A | Injury of left uterine artery, initial encounter |
| S35.533A | Injury of unspecified uterine artery, initial encounter |
| S35.534A | Injury of right uterine vein, initial encounter |
| S35.535A | Injury of left uterine vein, initial encounter |
| S35.536A | Injury of unspecified uterine vein, initial encounter |
| S35.59XA | Injury of other iliac blood vessels, initial encounter |
| S35.8X1A | Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter |
| S35.8X8A | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter |
| S35.8X9A | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter |
| S35.90XA | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S35.91XA | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S35.99XA | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S36.112A | Contusion of liver, initial encounter |
| S36.113A | Laceration of liver, unspecified degree, initial encounter |

NCD 190.34

***October 2022 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| S36.114A | Minor laceration of liver, initial encounter |
| S36.115A | Moderate laceration of liver, initial encounter |
| S36.116A | Major laceration of liver, initial encounter |
| S36.118A | Other injury of liver, initial encounter |
| S36.119A | Unspecified injury of liver, initial encounter |
| S36.200A | Unspecified injury of head of pancreas, initial encounter |
| S36.201A | Unspecified injury of body of pancreas, initial encounter |
| S36.202A | Unspecified injury of tail of pancreas, initial encounter |
| S36.209A | Unspecified injury of unspecified part of pancreas, initial encounter |
| S36.220A | Contusion of head of pancreas, initial encounter |
| S36.221A | Contusion of body of pancreas, initial encounter |
| S36.222A | Contusion of tail of pancreas, initial encounter |
| S36.229A | Contusion of unspecified part of pancreas, initial encounter |
| S36.230A | Laceration of head of pancreas, unspecified degree, initial encounter |
| S36.231A | Laceration of body of pancreas, unspecified degree, initial encounter |
| S36.232A | Laceration of tail of pancreas, unspecified degree, initial encounter |
| S36.239A | Laceration of unspecified part of pancreas, unspecified degree, initial encounter |
| S36.240A | Minor laceration of head of pancreas, initial encounter |
| S36.241A | Minor laceration of body of pancreas, initial encounter |
| S36.242A | Minor laceration of tail of pancreas, initial encounter |
| S36.249A | Minor laceration of unspecified part of pancreas, initial encounter |
| S36.250A | Moderate laceration of head of pancreas, initial encounter |
| S36.251A | Moderate laceration of body of pancreas, initial encounter |
| S36.252A | Moderate laceration of tail of pancreas, initial encounter |
| S36.259A | Moderate laceration of unspecified part of pancreas, initial encounter |
| S36.260A | Major laceration of head of pancreas, initial encounter |
| S36.261A | Major laceration of body of pancreas, initial encounter |
| S36.262A | Major laceration of tail of pancreas, initial encounter |
| S36.269A | Major laceration of unspecified part of pancreas, initial encounter |
| S36.290A | Other injury of head of pancreas, initial encounter |
| S36.291A | Other injury of body of pancreas, initial encounter |
| S36.292A | Other injury of tail of pancreas, initial encounter |
| S36.299A | Other injury of unspecified part of pancreas, initial encounter |
| S36.30XA | Unspecified injury of stomach, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|--|
| S36.32XA | Contusion of stomach, initial encounter |
| S36.33XA | Laceration of stomach, initial encounter |
| S36.39XA | Other injury of stomach, initial encounter |
| S36.400A | Unspecified injury of duodenum, initial encounter |
| S36.408A | Unspecified injury of other part of small intestine, initial encounter |
| S36.409A | Unspecified injury of unspecified part of small intestine, initial encounter |
| S36.410A | Primary blast injury of duodenum, initial encounter |
| S36.418A | Primary blast injury of other part of small intestine, initial encounter |
| S36.419A | Primary blast injury of unspecified part of small intestine, initial encounter |
| S36.420A | Contusion of duodenum, initial encounter |
| S36.428A | Contusion of other part of small intestine, initial encounter |
| S36.429A | Contusion of unspecified part of small intestine, initial encounter |
| S36.430A | Laceration of duodenum, initial encounter |
| S36.438A | Laceration of other part of small intestine, initial encounter |
| S36.439A | Laceration of unspecified part of small intestine, initial encounter |
| S36.490A | Other injury of duodenum, initial encounter |
| S36.498A | Other injury of other part of small intestine, initial encounter |
| S36.499A | Other injury of unspecified part of small intestine, initial encounter |
| S36.500A | Unspecified injury of ascending [right] colon, initial encounter |
| S36.501A | Unspecified injury of transverse colon, initial encounter |
| S36.502A | Unspecified injury of descending [left] colon, initial encounter |
| S36.503A | Unspecified injury of sigmoid colon, initial encounter |
| S36.508A | Unspecified injury of other part of colon, initial encounter |
| S36.509A | Unspecified injury of unspecified part of colon, initial encounter |
| S36.510A | Primary blast injury of ascending [right] colon, initial encounter |
| S36.511A | Primary blast injury of transverse colon, initial encounter |
| S36.512A | Primary blast injury of descending [left] colon, initial encounter |
| S36.513A | Primary blast injury of sigmoid colon, initial encounter |
| S36.518A | Primary blast injury of other part of colon, initial encounter |
| S36.519A | Primary blast injury of unspecified part of colon, initial encounter |
| S36.520A | Contusion of ascending [right] colon, initial encounter |
| S36.521A | Contusion of transverse colon, initial encounter |
| S36.522A | Contusion of descending [left] colon, initial encounter |
| S36.523A | Contusion of sigmoid colon, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| S36.528A | Contusion of other part of colon, initial encounter |
| S36.529A | Contusion of unspecified part of colon, initial encounter |
| S36.530A | Laceration of ascending [right] colon, initial encounter |
| S36.531A | Laceration of transverse colon, initial encounter |
| S36.532A | Laceration of descending [left] colon, initial encounter |
| S36.533A | Laceration of sigmoid colon, initial encounter |
| S36.538A | Laceration of other part of colon, initial encounter |
| S36.539A | Laceration of unspecified part of colon, initial encounter |
| S36.590A | Other injury of ascending [right] colon, initial encounter |
| S36.591A | Other injury of transverse colon, initial encounter |
| S36.592A | Other injury of descending [left] colon, initial encounter |
| S36.593A | Other injury of sigmoid colon, initial encounter |
| S36.598A | Other injury of other part of colon, initial encounter |
| S36.599A | Other injury of unspecified part of colon, initial encounter |
| S36.60XA | Unspecified injury of rectum, initial encounter |
| S36.61XA | Primary blast injury of rectum, initial encounter |
| S36.62XA | Contusion of rectum, initial encounter |
| S36.63XA | Laceration of rectum, initial encounter |
| S36.69XA | Other injury of rectum, initial encounter |
| S36.899A | Unspecified injury of other intra-abdominal organs, initial encounter |
| S36.90XA | Unspecified injury of unspecified intra-abdominal organ, initial encounter |
| S37.001A | Unspecified injury of right kidney, initial encounter |
| S37.002A | Unspecified injury of left kidney, initial encounter |
| S37.009A | Unspecified injury of unspecified kidney, initial encounter |
| S37.011A | Minor contusion of right kidney, initial encounter |
| S37.012A | Minor contusion of left kidney, initial encounter |
| S37.019A | Minor contusion of unspecified kidney, initial encounter |
| S37.021A | Major contusion of right kidney, initial encounter |
| S37.022A | Major contusion of left kidney, initial encounter |
| S37.029A | Major contusion of unspecified kidney, initial encounter |
| S37.031A | Laceration of right kidney, unspecified degree, initial encounter |
| S37.032A | Laceration of left kidney, unspecified degree, initial encounter |
| S37.039A | Laceration of unspecified kidney, unspecified degree, initial encounter |
| S37.041A | Minor laceration of right kidney, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10 CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD- M)**

| Code | Description |
|-------------|---|
| S37.042A | Minor laceration of left kidney, initial encounter |
| S37.049A | Minor laceration of unspecified kidney, initial encounter |
| S37.051A | Moderate laceration of right kidney, initial encounter |
| S37.052A | Moderate laceration of left kidney, initial encounter |
| S37.059A | Moderate laceration of unspecified kidney, initial encounter |
| S37.061A | Major laceration of right kidney, initial encounter |
| S37.062A | Major laceration of left kidney, initial encounter |
| S37.069A | Major laceration of unspecified kidney, initial encounter |
| S37.091A | Other injury of right kidney, initial encounter |
| S37.092A | Other injury of left kidney, initial encounter |
| S37.099A | Other injury of unspecified kidney, initial encounter |
| S38.1XXA | Crushing injury of abdomen, lower back, and pelvis, initial encounter |
| T43.641A | Poisoning by ecstasy, accidental (unintentional), initial encounter |
| T43.641D | Poisoning by ecstasy, accidental (unintentional), subsequent encounter |
| T43.641S | Poisoning by ecstasy, accidental (unintentional), sequela |
| T43.642A | Poisoning by ecstasy, intentional self-harm, initial encounter |
| T43.642D | Poisoning by ecstasy, intentional self-harm, subsequent encounter |
| T43.642S | Poisoning by ecstasy, intentional self-harm, sequela |
| T43.643A | Poisoning by ecstasy, assault, initial encounter |
| T43.643D | Poisoning by ecstasy, assault, subsequent encounter |
| T43.643S | Poisoning by ecstasy, assault, sequela |
| T43.644A | Poisoning by ecstasy, undetermined, initial encounter |
| T43.644D | Poisoning by ecstasy, undetermined, subsequent encounter |
| T43.644S | Poisoning by ecstasy, undetermined, sequela |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter |
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter |
| T50.905A | Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter |

NCD 190.34

***October 2023 Changes
ICD-10 CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| T50.915A | Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter |
| T88.52XA | Failed moderate sedation during procedure, initial encounter |
| U07.1 | COVID-19 |
| U09.9 | Post COVID-19 condition, unspecified |
| Z09 | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z79.0 | Long term (current) use of anticoagulants |
| Z79.0 | Long term (current) use of antithrombotics/antiplatelets |
| Z79.1 | Long term (current) use of non-steroidal anti-inflammatories (NSAID) |
| Z79 | Long term (current) use of hormonal contraceptives |
| Z79.51 | Long term (current) use of inhaled steroids |
| Z79.52 | Long term (current) use of systemic steroids |
| Z79.82 | Long term (current) use of aspirin |
| Z79.84 | Long term (current) use of oral hypoglycemic drugs |
| Z79.891 | Long term (current) use of opiate analgesic |
| Z79.899 | Other long term (current) drug therapy |
| Z85.00 | Personal history of malignant neoplasm of unspecified digestive organ |
| Z85.01 | Personal history of malignant neoplasm of esophagus |
| Z85.028 | Personal history of other malignant neoplasm of stomach |
| Z85.038 | Personal history of other malignant neoplasm of large intestine |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus |
| Z85.05 | Personal history of malignant neoplasm of liver |
| Z85.068 | Personal history of other malignant neoplasm of small intestine |
| Z85.07 | Personal history of malignant neoplasm of pancreas |
| Z85.0 | Personal history of malignant neoplasm of other digestive organs |
| Z85.810 | Personal history of malignant neoplasm of tongue |
| Z85.818 | Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx |
| Z85.819 | Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs |
| Z86.010 | Personal history of colonic polyps |



| Code | Description |
|--------|---|
| Z86.16 | Personal history of COVID-19 |
| Z86.19 | Personal history of other infectious and parasitic diseases |

Indications

1. To evaluate known or suspected alimentary tract conditions that might cause bleeding into the intestinal tract.
2. To evaluate unexpected anemia.
3. To evaluate abnormal signs, symptoms, or complaints that might be associated with loss of blood.
4. To evaluate patient complaints of black or red-tinged stools.

Limitations

1. The FOBT is reported once for the testing of up to three separate specimens (comprising either one or two tests per specimen).
2. In patients who are taking non-steroidal anti-inflammatory drugs and have a history of gastrointestinal bleeding but no other signs, symptoms, or complaints associated with gastrointestinal blood loss, testing for occult blood may generally be appropriate no more than once every three months.

When testing is done for the purpose of screening for colorectal cancer in the absence of signs, symptoms, conditions, or complaints associated with gastrointestinal blood loss, report the HCPCS code for colorectal cancer screening; fecal-occult blood test, 1-3 simultaneous determinations should be used.

ICD-10 M Codes That Do Not Support Medical Necessity

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

Sources of Information

Ahlquist, D.A., "Approach to the patient with occult gastrointestinal bleeding," in Tadatake, Y. (ed.), Textbook of Gastroenterology (2nd ed.), 1995, J.B. Lippincott, pp. 699-717.

Tietz, N.W. (ed.), Clinical guide to Laboratory Tests (3rd ed.), 1995, pp.452-454.

Schleisenger, M.H., Wall, S.D., et al., "Part X. Gastrointestinal Diseases" in Wyngaarden, J.B., & Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 656-807.

Harrison's Principles of Internal Medicine (14th ed.), 1998, McGraw Hill.

Wallach, J., Interpretation of Diagnostic Tests, 1996, Little Brown and Co.

Illustrated Guide to Diagnostic Tests (2nd ed.), 1997, Springhouse Corporation.

Sleisenger and Fordtrans's Gastrointestinal and Liver Disease (6th ed.), 1997, W.B. Saunders.